

TECHNICAL DATA**PLS XLD****Product overview: PLS XLD**

The PLS XLD is a red and green rotary laser detector for use with all PLS rotary lasers. This accessory comes shipped in a printed cardboard box.

Specifications: PLS XLD

Specifications:

- Range: ≤600 m (2000 ft)
- Battery: 1x AA Alkaline
- Size: 135 mm x 69 mm x 25 mm (5.3 in x 2.7 in x 1.0 in)
- Weight: 0.19 kg (0.42 lb)

Ordering information



PLS XLD

The PLS XLD is a red and green rotary laser detector for use with all PLS rotary lasers. This accessory comes shipped in a printed cardboard box.

Contents:

- PLS XLD Rotary Laser Detector
 - PLS XLD Clamp
 - AA Battery
 - Quick Reference Guide
-

Fluke. *Keeping your world up and running.®*

Fluke Corporation
PO Box 9090, Everett, WA 98206 U.S.A.

For more information call:
In the U.S.A. (800) 443-5853
In Canada (800) 36-FLUKE
From other countries +1 (425) 446-5500
www.fluke.com

©2025 Fluke Corporation.
Specifications subject to change without notice.
12/2025

**Modification of this document is not permitted
without written permission from Fluke
Corporation.**