

TECHNICAL DATA

PLS SLD RED



Key features

Specifications:

- Range: ≤60 m (200 ft)
- Battery: 1x 9v Alkaline
- Size: 102 x 165 x 102 (4 in x 6.5 in x 4 in)
- Weight: 0.35 kg (0.77 lb)

Product overview: PLS SLD RED

The PLS SLD-RED is a red line laser detector compatible with the PLS 6R, PLS 180R, PLS 360, PLS 480, HVL 100 and previous PLS 4 and PLS 180 models. This item is included with the PLS 6R and PLS 180R Systems.

Ordering information



PLS SLD RED

The PLS SLD-RED is a red line laser detector compatible with the PLS 6R, PLS 180R, PLS 360, PLS 480, HVL 100 and previous PLS 4 and PLS 180 models. This item is included with the PLS 6R and PLS 180R Systems.

This accessory comes shipped in a printed cardboard box.

Contents:

- PLS SLD RED laser line detector
 - PLS 60520 SLD clamp
 - 9v Battery
 - Quick Reference Guide
-



Fluke. *Keeping your world up and running.®*

Fluke Corporation
PO Box 9090, Everett, WA 98206 U.S.A.

For more information call:
In the U.S.A. (800) 443-5853
In Canada (800) 36-FLUKE
From other countries +1 (425) 446-5500
www.fluke.com

©2025 Fluke Corporation.
Specifications subject to change without notice.
12/2025

**Modification of this document is not permitted
without written permission from Fluke
Corporation.**