

TECHNICAL DATA

Fluke CXT80 Extreme Case



Key features

- Dimensions (H x W x D): 10.62 x 9.68 x 4.87 (in), 315 x 174 x 104 (mm)
- Waterproof up to 3 feet with O-ring seal, airtight and built for extreme conditions. Features patent-pending spring-release latches, stackability, and a finger groove for easy carrying.
- Offers maximum protection for your Fluke tools and accessories against high impact, vibration or shock
- see compatible products below

Product overview: Fluke CXT80 Extreme Case

Unbreakable, watertight, airtight, dustproof, chemical resistant and corrosion proof.

Ordering information



Fluke CXT80

For use with the following test tools:

- Multimeters: 27, 83 V, 85 V, 87 V, 187, 189
 - Process Tools: 724, 725, 726, 789
-

Fluke. *Keeping your world up and running.®*

Fluke Corporation

PO Box 9090, Everett, WA 98206 U.S.A.

Fluke Electronics (Malaysia) Sdn Bhd

Suite D-3A-4, Block D
SouthGage Commercial Centre, No2
Jalan Dua Off Jln Chan Sow Lin
55200 KL
Malaysia
Email: info.asean@fluke.com
www.fluke.com/my

For more information call:

In the U.S.A. (800) 443-5853
In Europe/M-East/Africa +31 (0)40 267 5100
In Canada (800)-36-FLUKE
From other countries +1 (425) 446-5500

©2025 Fluke Corporation. Specifications subject to
change without notice.
12/2025

**Modification of this document is not permitted
without written permission from Fluke
Corporation.**