

TECHNICAL DATA

Fluke 80PK-3A Surface Probe



Key features

- Measurement range: 0 to 260 °C
- One year warranty

Product overview: Fluke 80PK-3A Surface Probe

Fluke temperature probes expand the functionality of Fluke thermometers. The 80PK-3A Type K Thermocouple Surface Probe is designed for measuring the temperature of flat or slightly convex surfaces, with an exposed junction to allow direct contact with the surface being measured. The probe can be used with any temperature-measuring instrument that is designed to accept type K thermocouples and has a miniature connector input.

Ordering information



Fluke 80PK 3A

Fluke. *Keeping your world up and running.®*

Fluke Corporation

PO Box 9090, Everett, WA 98206 U.S.A.

Fluke Electronics (Malaysia) Sdn Bhd

Suite D-3A-4, Block D
SouthGage Commercial Centre, No2
Jalan Dua Off Jln Chan Sow Lin
55200 KL
Malaysia

Email: info.asean@fluke.com

www.fluke.com/my

©2025 Fluke Corporation. Specifications subject to
change without notice.

12/2025

For more information call:

In the U.S.A. (800) 443-5853

In Europe/M-East/Africa +31 (0)40 267 5100

In Canada (800)-36-FLUKE

From other countries +1 (425) 446-5500

**Modification of this document is not permitted
without written permission from Fluke
Corporation.**