

TECHNICAL DATA

Fluke TL82 Automotive Pin and Socket Adapter Set



Product overview: Fluke TL82 Automotive Pin and Socket Adapter Set

An absolute must-have for work on Asian or European vehicles. This collection of male and female adapters allows you to make firm connection to pin and socket connectors. Useful when making voltage, frequency, duty cycle or resistance measurements and a must when measuring current requiring the meter be placed in series in the circuit.

Ordering information



Fluke TL82

Fluke TL82 Automotive Pin & Socket Adapter Set
Automotive Pin & Socket Adapter Set

Set contains:

- Retractable shrouded test leads complete set of 8 pin-and-socket adapters with flexible tips; one red and one black in the following sizes:
 - Size 22 contact 0.030 in. (0.76 mm) rated 3 A
 - Size 20 contact 0.040 in. (1.02 mm) rated 3 A
 - Size 16 contact 0.063 in. (1.60 mm) rated 3 A
 - Size 12 contact 0.093 in. (2.36 mm) rated 3 A
- Do not use on equipment where voltages are greater than 30V AC or 60V DC

Fluke. *Keeping your world up and running.®*

Fluke Europe B.V.

P.O. Box 1186
5602 BD Eindhoven
The Netherlands
www.fluke.com/en

©2025 Fluke Corporation. All rights reserved.
Data subject to alteration without notice.
12/2025

For more information call:

In Middle East/Africa
+31 (0)40 267 5100

**Modification of this document is not permitted
without written permission from Fluke
Corporation.**