

## TECHNICAL DATA

# Fluke 700LTP-1 Low-pressure Test Pump



## Key features

- Pump can be easily cleaned without disassembly
- Adjustable pressure relief valve with slow-bleed capability. Allows the slow release pressure at a controlled rate
- Quick fit connectors, one for the reference port for connection to a Fluke 700 series pressure module and one to connect to a unit under test
- Slim design, easy to carry and use

## Product overview: Fluke 700LTP-1 Low-pressure Test Pump

The Fluke 700LTP-1 is a hand operated pressure pump designed to generate either vacuum to -12.7 PSI / -.87 bar or pressures to 100 psi / 6.9 bar. The Fluke 700LTP-1 has two pressure ports with quick fit connectors. Test hoses are terminated with 1/8-NPT female fittings that can be adapted using the BSP/ISO adapters.

For use with 700 series pressure modules and 717 pressure calibrators. Ideal for low pressure applications requiring accurate low pressure testing.



# Specifications: Fluke 700LTP-1 Low-pressure Test Pump

| Mechanical and General Specifications |                                                                         |
|---------------------------------------|-------------------------------------------------------------------------|
| Size (L x W x D)                      | 5.9 x 4 x 1.25 in (150 x 100 x 32 mm)                                   |
| Weight                                | 226 g or .5 lbs (pump only)                                             |
| Warranty                              | One year                                                                |
| Material                              | Exposed Materials: Aluminum, silicon, neoprene, stainless steel, Buna-N |

## Ordering information



### Low-pressure Test Pump

Low-pressure Test Pump

- 
- (2) adapters to convert the reference and UUT port hose fitting to 1/4" BSP female
  - One seal kit
  - Instruction sheet in English
-

**Fluke.** *Keeping your world up and running.®*

**Fluke Corporation**

PO Box 9090, Everett, WA 98206 U.S.A.

**For more information call:**

In the U.S.A. (800) 443-5853

In Europe/M-East/Africa +31 (0)40 267 5100

In Canada (800)-36-FLUKE

From other countries +1 (425) 446-5500

**Fluke Electronics (Malaysia) Sdn Bhd**

Suite D-3A-4, Block D

SouthGage Commercial Centre, No2

Jalan Dua Off Jln Chan Sow Lin

55200 KL

Malaysia

Email: [info.asean@fluke.com](mailto:info.asean@fluke.com)

[www.fluke.com/my](http://www.fluke.com/my)

©2025 Fluke Corporation. Specifications subject to change without notice.

12/2025

**Modification of this document is not permitted without written permission from Fluke Corporation.**